

Qualtrics QualLink Instructions

Last Modified on 07/23/2019 5:36 pm EDT

QualLink is a service that is part of QualBoard Unlimited or available ad hoc. If it is a feature you would like to use, please speak with your account manager.

Step 1: Program Questions

Program your survey as usual, but you must ask the following fields:

- First name
- Last name
- Email address

Step 2: Program Web Service

Navigate to the Survey Flow for your survey.

Below the last block of your questions, add a new Web Service element

Below are setup instructions:

URL: <https://api.qualboard.com/api/v4/users/import>

Method: Post


Body Parameters: application/x-www-form-urlencoded

Fields to pass:

Paramater to web service	Value
Email	Piped value (see below)
FirstName	Piped value (see below)
LastName	Piped value (see below)
DisplayName	Piped value (see below) - Can use first name
ApiKey	ApiKey (From QB4 Project Settings)
SetTempPassword	true
ResponseFormat	1
LanguageCode	en

EventId	EventId (From QB4 Event Settings)
GroupTags	Piped value (see below)


Insert piped text text for any variable fields (Email, FirstName, LastName, DisplayName, Group Tags)



For group tags, you will use multiple merge codes separated by a comma for each group tag that you would like to be added. For example,

```
{q://QID4/ChoiceGroup/SelectedChoices}, {q://QID5/ChoiceGroup/SelectedChoices}
```

Then under Set Embedded Data add a field password and set the value to password



Then end result should look something like this:

Web Service

URL: Test

Method: POST

Add a query parameter to send to web service...

Body Parameters application/x-www-form-urlencoded

Email	=	<code>\${q://QID3/ChoiceTextEntryValue}</code>	-	+
FirstName	=	<code>\${q://QID1/ChoiceTextEntryValue}</code>	-	+
LastName	=	<code>\${q://QID2/ChoiceTextEntryValue}</code>	-	+
DisplayName	=	<code>\${q://QID1/ChoiceTextEntryValue}</code>	-	+
ApiKey	=	<code>#####</code>	-	+
SetTempPassword	=	<code>true</code>	-	+
ResponseFormat	=	<code>1</code>	-	+
LanguageCode	=	<code>en</code>	-	+
EventId	=	<code>#####</code>	-	+
GroupTags	=	<code>\${q://QID4/ChoiceGroup/SelectedChoices}, \${q://QID5/ChoiceGroup/SelectedChoices}</code>	-	+

Add a custom header to send to web service...

Fire and Forget

Set Embedded Data

password = - +

[Add Below](#) [Move](#) [Duplicate](#) [Delete](#)

Step 3: Inviting the User

After you have saved your action, on the final page of your survey, write a message welcoming the participant to the project.

- Direct them to login at qb4.qualboard.com.
- Be sure to utilize merge codes to display the users email as their username.
- To display their one time use password, use piped text to get the Embedded Data Field "password". With the temporary password, as soon as a user logs in, they will immediately be required to set a new password.

We also encourage you to utilize the Email Trigger to send the information to the user as well in case they don't login immediately.

For further documentation visit qb4.qualboard.com/docs/v4

If you have any questions or need assistance, please email support@qualboard.com .

